

**2**L

Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Section 1: Identification of the Product and Company Identification

#### 1.1. Product Identifier

Product Name: ClassicBond One-Part Pourable Sealer

Product Code: 307647

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Moisture cure sealant. Product for professional use only

Uses advised against No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Suppliers: Flex-R

Sandswood House Hillbottom Road Sands Industrial Estate

High Wycombe Buckinghamshire

HP12 4HJ

Tel: 01494 448792 Fax: 01494 858433 Email: enq@ClassicBond.co.uk

#### 1.4. Emergency telephone number

Emergency telephone 01494 448792 (NOT 24HRS Monday-Thursday 08.30 – 17.30

Friday 08.30 – 16.30)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification

Physical hazards No additional information available

**Health hazards** Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards No additional information available

Human Health No additional information available

Physicochemical No additional information available

#### 2.2. Label elements

#### **Pictogram**



Signal word Danger



**2**L

Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**Hazard statements** H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

Precautionary statements P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - IF ON SKIN: Wash with plenty of water

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P501 - Dispose of contents/container to an authorised waste collection point

Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

N-(3-(trimethoxysilyl)propyl)ethylenediamine		
CAS number: 1760-24-3	EC number: 217-164-6	REACH registration number:
Classification		
Not classified		

The Full Text for all Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms develop, obtain medical attention.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Give 100 - 200 ml of water to drink. Do

not give an unconscious person anything to drink. Obtain immediate medical

attention.

**Skin contact** Immediately remove contaminated clothing or footwear. Rinse skin with plenty of

water or shower. If skin irritation or rash occurs: Get medical advice/attention.

**Eye contact** Rinse immediately with plenty of water (for at least 15 minutes). Ensure that

folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain immediate medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Inhalation of vapours may cause respiratory irritation..



2L

Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**Ingestion** Ingestion may cause irritation of the gastrointestinal tract.

**Skin contact** May cause an allergic skin reaction.

**Eye contact** Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry chemical. Foam. Carbon dioxide.

Unsuitable extinguishing

media

None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard Not flammable

**Explosion hazard** Containers may rupture when heated.

Hazardous decomposition products in case of fire

Fire may produce irritating, corrosive and/or toxic gases. Nitrogen oxides. Silicon oxides. Sulphur oxides. Hydrogen sulfide. Carbon monoxide. Carbon dioxide.

#### 5.3. Advice for firefighters

**Firefighting instructions**Use water spray or fog for cooling exposed containers. Exercise caution when

fighting any chemical fire. Do not allow run-off from firefighting to enter drains or

water courses.

Special protective equipment

for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** Evacuate unnecessary personnel. Ensure adequate ventilation.

#### 6.1.2. For emergency responders

**Protective equipment** Wear suitable protective clothing and eye or face protection.

Emergency procedures Ensure adequate ventilation. Avoid inhalation of vapours. Avoid contact with

skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid release to the environment. Prevent entry to sewers and public waters.

Notify authorities if large amounts of the product enters sewers or public waters.



2L

Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb with earth, sand or other non-combustible material, allow to cure, and

transfer to containers for later disposal. Wash spill area with soapy water.

Washings must be prevented from entering surface water drains.

#### 6.4. Reference to other sections

Reference to other sections SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal

considerations.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling Provide adequate ventilation. Avoid inhalation of vapours. Avoid contact with

skin, eyes and clothing.

**Hygiene measures** Do not eat, drink or smoke when using this product. Handle in accordance with

good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Contaminated work

clothing should not be allowed out of the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store tightly closed in a dry, cool and well-ventilated place. Protect from

moisture.

**Incompatible materials** Strong oxidizing agents. Moisture.

7.3. Specific end use(s)

**Specific end use(s)** Moisture cure sealant. Product for industrial use only.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

No additional information available

#### 8.2. Exposure controls

Appropriate engineering

Provide adequate ventilation. Emergency eye wash fountains should be

available in the immediate vicinity of any potential exposure.

Personal protective

equipment

controls

Avoid all unnecessary exposure.

**Eye/face protection** Chemical goggles or face shield. Standard EN 166 - Personal eye-protection.

**Hand protection** Wear chemically resistant protective gloves. Standard EN 374 - Protective

gloves against chemicals. Gloves should be removed and replaced if there are

any signs of degradation or breakthrough.



Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other skin and body

protection

Long sleeved protective clothing.

suitable respiratory equipment.

**Environmental exposure** 

controls

Avoid release to the environment.

**Thermal hazard protection** Wear heat-resistant gloves and clothing if the product is heated.

Other information Do not eat, drink or smoke during use. Handle in accordance with good

industrial hygiene and safety procedures.

#### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Paste.

Colour No data available

Odour Slight. Mint.

Odour threshold No data available PH No data available

Relative evaporation rate

(butylacetate=1)

No data available

Melting point No data available
Freezing point No data available
Boiling point No data available
Flash point No data available
Auto-ignition temperature No data available

Decomposition temperature No data available

Flammability (solid, gas) Not applicable

Vapour pressure < 1

Relative vapour density at 20 °C > 1 (air = 1)

Relative density 1.39 (Water = 1)

Solubility Insoluble in water.
Log Pow No data available
Log Kow No data available

Viscosity, kinematic No data available
Viscosity, dynamic No data available

Explosive properties Not explosive.

Oxidising properties Not oxidising.

Explosive limits No data available



Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

VOC content 14.9 g/l Volotile components 1.07 %

#### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Polymerises on exposure to water (moisture).

10.2. Chemical stability

**Stability** Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

None known

10.4. Conditions to avoid

**Conditions to avoid** Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid Strong oxidizing agents. Moisture.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

Fire may produce irritating, corrosive and/or toxic gases. Nitrogen oxides. Silicon oxides. Sulphur oxides. Hydrogen sulfide. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on ingredients.

#### N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

LD50 oral rat > 2295 mg/kg LD50 dermal rabbit > 2000 mg/kg

**LC50 inhalation rat (mg/l)** > 1.49 - 2.44 mg/l/4h

Skin corrosion/irritation Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.



Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

Carcinogenicity Not classified

Based on available data, the classification criteria are not met

Not classified Reproductive toxicity

Based on available data, the classification criteria are not met

Specific target organ toxicity

Not classified

(single exposure) Based on available data, the classification criteria are not met

Specific target organ toxicity

(repeated exposure) Based on available data, the classification criteria are not met

Not classified Aspiration hazard

Based on available data, the classification criteria are not met

Potential adverse human health

effects and symptoms

Causes serious eye damage. Allergic skin rash. Ingestion may cause irritation of

the gastrointestinal tract. Inhalation of vapours may cause respiratory

irritation.

Not classified

#### SECTION 12: Ecological Information

#### **12.1. Toxicity**

**Ecology - water** Not classified.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

#### ClassicBond One-Part Pourable Sealer

Insoluble in water. **Ecology - soil** 

#### 12.5. Results of PBT and vPvB assessment

#### ClassicBond One-Part Pourable Sealer

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Other adverse effects Avoid release to the environment

#### **SECTION 13: Disposal considerations**



Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 13.1. Waste treatment methods

Waste treatment methods Dispose of this material and its container at hazardous or special waste

collection point.

Waste disposal Allow product to cure before disposal. Dispose in a safe manner in accordance

recommendations with local/national regulations. Empty containers should be taken to an

approved waste handling site for recycling or disposal.

**Additional information** Handle empty containers with care.

#### **SECTION 14: Transport information**

#### 14.1. UN number

UN No. (ADR)

Not regulated for transport

UN-No. (IATA)

Not regulated for transport

UN-No. (IMDG)

Not regulated for transport

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

**Other information**No supplementary information available.

#### 14.6. Special precautions for user

**Special transport precautions** No special precautions required.

#### 14.6.1. Overland transport

No additional information available

#### 14.6.2. Transport by sea

No additional information available

#### 14.6.3. Air transport

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

#### SECTION 15: Regulatory information



2L

Revision Date: 28/02/2018 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### Authorisations and/or restrictions on use (Annex XVII):

ClassicBond One-Part Pourable Sealer 3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

#### Contains no substance on the REACH candidate list

VOC content 14.9 g/l

#### 15.1.2. National regulations

National regulations No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

Issued by Technical Revision date 28/02/2018

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND

OF THE COUNCIL of 16 December 2008 on classification, labelling and

packaging of substances and mixtures.

Hazard statements in full Eye Dam. 1 Serious eye damage/eye irritation, Category 1

Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, category 1

H315 Causes skin irritation

H317 May cause an allergic skin reactionH318 Causes serious eye damage

NCEC SDS EU (REACH ANNEX II)

The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, The Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use